


# ABM Panel

## Color Options



# ABM Panel

G-100 Galvanized | AZ50 Galvalume



■ - Colors available in heavier 26 gauge Galvalume \* - Only available with Galvalume Panels




36" Wide Coverage • 9" Rib Spacing • 3/4" High Rib

\*Only available with Galvalume Panels.


†Premium Color at Additional Cost.

## ABM Panel Profile



### Why Heat Forming?

The details matter... even if you need a microscope to see them. We heat-form the ABM Panel to prevent microscopic cracking of the rust-preventing paint coating as the panel is formed. Heating the panel before bending temporarily softens the paint which allows it to flex as the panel is formed and shaped.



# Textured ABM Panel

26 Gauge AZ50 Galvalume



SHERWIN-WILLIAMS  
COIL COATINGS

WeatherXL™




**Bronze** (TBZ)




**Burgundy** (TBU)



**Colonial Red** (TCR)



**Charcoal** (TCH)



**Ash Gray** (TAG)



**Light Stone** (TLS)



**White** (TWH)



**Black** (TBL)



**Evergreen** (TEG)




**Gallery Blue** (TGB)



**Shadow Gray** (TSG)

Standard: 36" Wide Coverage • 3/4" High Rib • Subject to a Wide Underlap

## ABM Panel Textured Profile (Acc)




### Why Choose Textured?

Our textured panels continue to be very popular in many residential applications.

Homeowners like it because the unique textured surface redirects sunlight for less glare than smooth panels. Plus the textured panels are less prone to "oil canning" which makes for a more attractive roof.

Contractors like it because the texture provides more grip during installation than smooth panels.



*Textured*

*Smooth*

### What is the difference between Galvalume and Galvanized Substrates?






















On the surface, they might look the same because they are both coated with the same Sherwin-Williams WeatherXL paint system. But it's what underneath that counts. Galvalume is made from bare steel covered with a mixture of zinc, aluminum, and trace amounts of silicon to improve its long-term weathering capabilities.

Painted Galvalume is known to exhibit more short-term edge rust and tension bend stains than Galvanized.

Galvanized steel is made by passing bare steel through a bath of molten zinc at 842 degrees Fahrenheit. The zinc coating that gives the steel sheet its resistance to weathering and rust, offers better cathodic or sacrificial protection for scratches and cut edges.

**IMPORTANT:** Galvanized steel is known to resist ammonia better than Galvalume. That is why we strongly recommend Galvanized steel in the presence of vapors from animal confinement.

Drawings are not to scale.  
 Exact dimensions may vary.  
 Contact us about custom trims.  
 Item codes are in brackets.  
 cc - Color Code



**717-445-6885**

abmartin.net  
 82 Garden Spot Road,  
 Ephrata, PA 17522

We strive to make our color charts as precise as possible, but the accuracy of the painted chips is not guaranteed. For 100% color matching, please request a free metal sample

